

DATA-TO-SOUND MAPPING: INTEGRATING VISUAL AND AUDITORY ANALYTICS

G. Sravan Kumar^{1,*}, M. Shreenidhi², M. Nithish Kumar², N. Gangaraju², N. Tharun²

¹Associate Professor, Department of CSE (DS), TKR College of Engineering & Technology, Meerpet, Telangana 500097

²Student, Department of CSE (DS), TKR College of Engineering & Technology, Meerpet, Telangana 500097

Correspondence: gadesravankumar@tkrcet.com

ABSTRACT

This project focuses on transforming numerical data into sound using the concept of sonification, providing an alternative to conventional visual analysis methods. By mapping data values to auditory features such as pitch, loudness, and duration, the system enables users to “listen” to patterns and insights that might not always be clearly visible in graphical representations. This interactive approach improves data engagement and can benefit researchers, analysts, as well as individuals with visual impairments. The applications of this system extend to domains such as scientific research, education, accessibility technologies, and creative multimedia fields. The project introduces a sonification workflow that first converts numerical datasets into RGB color images and then transforms the color information into sound signals. Initially, a dataset is arranged within a structured two-dimensional matrix, which is visualized as an RGB image. Each pixel in the image contains red, green, and blue components that are interpreted as sound parameters such as frequencies and amplitudes. Through this layered transformation, the system creates a bridge between visual and auditory forms of data representation, allowing users to interpret patterns more intuitively. The approach can support multiple applications including data exploration, assistive tools for visually impaired users, and creative audio-visual experiments. By linking numerical values, color representations, and sound signals, the proposed method supports analytical applications while offering new insights into datasets and user interaction. Additionally, it opens opportunities for future developments in multimodal data representation systems that combine visual, auditory, and interactive elements to improve data understanding.

Keywords: Data Sonification, RGB Encoding, Multisensory Data Representation, Audio Data Analysis, Accessibility

I. INTRODUCTION

In the modern era of rapidly expanding digital information, developing alternative approaches to interpret and

communicate data has become increasingly important [1]. Traditional data visualization methods such as charts, graphs, and dashboards mainly rely on visual perception, which may limit the ability to explore information through other human sensory channels. Sonification offers an innovative solution by converting numerical data into sound, enabling users to interpret datasets through auditory perception alongside visual observation.

Within this context, sonification provides an engaging method for representing data that can be applied to accessibility, education, and artistic exploration. This project introduces a novel framework for converting numerical data into sound by first transforming the dataset into an RGB image representation and subsequently translating color components into sound signals. By establishing a relationship between numerical values, color intensities, and sound properties, the system creates a connection between visual and auditory forms of data interaction [2].

The transformation process begins by organizing numerical data into a structured grid where each value is mapped to a pixel within an RGB image. The red, green, and blue components of each pixel represent the magnitude of the dataset values. These color components are then converted into sound characteristics such as frequency, amplitude, and timbre, which correspond to pitch, loudness, and tonal quality respectively. Through this process, the dataset can be experienced as a sequence of sounds that reflect the underlying structure of the data [3].

This approach provides a new way to interpret complex datasets by allowing users to perceive patterns and relationships through both visual and auditory cues. In addition, the system can play an important role in accessibility by enabling visually impaired individuals to understand data through sound-based interaction. It can also be used in educational environments to create interactive learning experiences where students can explore data using multiple senses [4]. Furthermore, transforming abstract numerical values into perceptible visual and auditory patterns introduces

a fresh perspective to data analysis. Instead of relying solely on visual interpretation, users can explore information through a multisensory framework that enhances engagement and comprehension [5].

As a result, this project demonstrates how combining visualization and sonification techniques can expand the possibilities of data interaction while supporting accessibility, creativity, and improved analytical insight.

II. LITERATURE SURVEY

Data sonification has emerged as an important research area for improving data interpretation through auditory perception. Traditional data analysis mainly relies on visual representations such as graphs, charts, and dashboards [6-8]. However, these visual methods may not always provide intuitive understanding of complex datasets and are often inaccessible to visually impaired users. As a result, researchers have explored various techniques that convert numerical or scientific data into sound signals, allowing patterns and anomalies to be perceived through auditory feedback[9].

One notable research direction involves the use of sonification in scientific visualization [10]. The Audio Universe Project developed by NASA and related research institutions demonstrates how astronomical data can be converted into sound signals to help users interpret complex space phenomena. In this project, data from telescopes and satellites is translated into audio frequencies and musical tones that correspond to changes in intensity and spatial distribution. This approach has proven effective in helping both visually impaired users and researchers better understand large astronomical datasets. The project highlights the potential of sonification as an educational and scientific exploration tool [11-13].

Another important contribution in this field is the LightSound system, which converts changes in light intensity during solar eclipses into auditory signals. The system uses sensors to detect variations in light levels and transforms them into sound frequencies that change in real time [14]. This allows visually impaired individuals to experience astronomical events through sound rather than visual observation. The study demonstrates how real-time environmental data can be effectively translated into meaningful auditory representations [15].

Researchers have also explored the application of sonification in assistive technologies designed for visually impaired users. The See-Through-Sound system converts visual information

from cameras into audio signals that represent object position, distance, and movement [16-18]. By interpreting these sound patterns, visually impaired users can gain spatial awareness of their surroundings. This technology shows that auditory feedback can be used not only for data analysis but also for navigation and environmental interaction [19].

In the field of data analytics, several studies have investigated the use of sonification to analyze complex datasets such as financial data, environmental monitoring data, and social media trends [20]. For example, researchers have experimented with transforming stock market datasets into musical sequences where fluctuations in stock prices correspond to changes in pitch or rhythm. These approaches allow analysts to detect trends or anomalies by listening to the data rather than visually inspecting graphs. Similarly, environmental researchers have used sonification to represent climate data such as temperature changes, rainfall levels, and atmospheric conditions [21]. Recent research has also focused on improving the design frameworks used for sonification systems. The Data Sonification Canvas is one such framework that helps designers map data variables to sound parameters in a structured and interpretable way. This framework emphasizes the importance of selecting meaningful sound mappings so that the resulting audio signals remain understandable and informative [22-24]. It also encourages designers to consider user experience and cognitive load when developing sonification systems. Despite the progress in this field, several challenges remain in the development of effective sonification systems. One major limitation is the lack of standardized mapping techniques between data values and sound parameters. In many existing systems, the mapping between numerical values and audio characteristics is arbitrary, which may make the resulting sounds difficult to interpret. Another challenge involves balancing scientific accuracy with auditory clarity [25]. If the sonification process produces overly complex or noisy sounds, users may struggle to identify meaningful patterns within the data. Additionally, many sonification systems require specialized knowledge or complex parameter tuning, which limits their accessibility for general users. Some approaches also struggle to handle large multidimensional datasets, where multiple variables must be represented simultaneously in sound. As datasets grow larger and more complex, developing scalable and intuitive sonification methods becomes increasingly important [26].

Overall, the literature highlights the growing importance of sonification as a complementary approach to traditional data visualization. Existing research demonstrates that converting data into sound can improve accessibility, enhance pattern recognition, and provide new ways of interacting with complex

information. However, there remains a need for structured and user-friendly frameworks that integrate data processing, visual representation, and sound generation in a unified pipeline. The proposed system in this study addresses these challenges by introducing an RGB-based data sonification framework that combines numerical data processing, image generation, and audio synthesis to enable multisensory data interpretation.

III. PROPOSED METHODOLOGY

1. User Interface Development

The system provides an interactive user interface that enables users to upload numerical datasets and initiate the sonification process. The interface is designed to be simple and intuitive so that users with different levels of technical expertise can easily operate the application. Through this interface, datasets in formats such as CSV, Excel can be uploaded and processed within the system. The user interface also displays intermediate outputs generated during the processing pipeline. For example, users can view the generated RGB image representation of the dataset before the sonification stage begins. Additionally, the interface provides options for playing the generated audio output and downloading the results. This design ensures that users can interact with both visual and auditory representations of the data in a seamless manner. The interface is developed using modern web technologies to ensure responsiveness and compatibility across different devices.




Fig.3.1. User Interface for Dataset Upload

2. Data Preprocessing

After a dataset is uploaded through the interface, it undergoes a preprocessing stage to ensure that the data is suitable for further transformation. The preprocessing module is responsible for cleaning, organizing, and normalizing the

dataset. During this stage, missing values and invalid entries are detected and handled appropriately to maintain data consistency. Numerical values are then normalized to a standardized range between 0 and 255, which corresponds to the intensity range of RGB color channels. This normalization step ensures that the dataset can be accurately converted into an RGB image representation.

Once the data is normalized, it is reshaped into a two-dimensional matrix structure. Each element in this matrix represents a pixel value that will later be mapped to color channels during the image generation stage. Python libraries such as Pandas and NumPy are used to perform efficient data processing operations. By preparing the dataset in a structured format, the preprocessing stage ensures that the subsequent transformation stages can operate smoothly and produce accurate results.

	A	B	C	D	E	F	G	H	I	J
1	8	11	74	19	44	1	100	47	31	89
2	41	83	6	82	27	58	62	99	32	53
3	69	24	92	18	79	61	84	43	36	29
4	40	25	73	10	30	97	88	12	59	23
5	56	51	45	9	34	78	63	75	14	54
6	42	90	93	48	2	22	33	52	68	46
7	94	71	91	21	66	4	64	96	67	39
8	87	7	16	50	55	76	77	17	60	49
9	37	85	65	20	15	28	3	86	95	38
10	70	5	80	72	57	35	13	81	26	98

Figure 3.2: Input data in excel sheet

3. RGB Image Generation

In this stage, the normalized numerical dataset is converted into a visual RGB image representation. The system maps numerical values from the two-dimensional matrix into pixel intensities across the red, green, and blue color channels.

Image processing libraries such as Pillow (PIL) are used to generate the RGB image. Each pixel in the generated image corresponds to a specific numerical value from the dataset. The intensity of the color channels reflects the magnitude of the corresponding data value. This RGB image serves as an intermediate visual representation of the dataset. By observing the generated image, users can visually identify patterns, clusters, and variations in the data distribution. This step bridges the gap between raw numerical data and the auditory representation that will be generated in the next stage. The generated RGB image is stored within the system so that it can be used as the input for the sonification module.



Figure 3.3 : RGB image generated from data

4. Sonification Process

The sonification process is the core component of the proposed system. In this stage, the RGB pixel values obtained from the generated image are translated into sound parameters that can be synthesized into audio signals. Each color channel is mapped to a specific audio property. The red channel controls the frequency or pitch of the sound, the green channel determines the amplitude or loudness, and the blue channel influences the timbre or tonal quality of the generated audio signal. By mapping color values to these sound parameters, the system converts visual information into auditory patterns. The RGB pixel values are processed sequentially to generate a continuous audio waveform that reflects the structure and variation of the dataset. Python audio libraries such as PyDub and SciPy are used to synthesize the audio signals and convert them into standard sound formats such as WAV files. The resulting sound output allows users to interpret data patterns through auditory perception. Variations in the dataset produce corresponding variations in pitch, volume, and sound texture, enabling users to detect trends and anomalies by listening to the data.




Fig.3.4. Output sound generated from the RGB image

5. Reverse Sonification and Validation

To ensure the reliability and accuracy of the transformation pipeline, the proposed system incorporates a reverse sonification mechanism that attempts to reconstruct numerical patterns from the generated audio signals or RGB representations. This process acts as a validation step by analyzing the sound parameters and their mappings to determine whether the generated audio waveform accurately reflects the original dataset.

By comparing reconstructed patterns with the initial data, the system verifies that the sonification process preserves the structure and integrity of the dataset. This validation approach enhances the robustness of the framework and helps researchers better understand the relationship between data values and their corresponding sound parameters.

6. Audio Output and User Interaction

After the sonification process is completed, the generated audio signals are compiled into standard sound files such as WAV format. These audio files can be played directly within the system interface, allowing users to listen to the auditory representation of the dataset. Users can replay the sound multiple times to analyze variations and patterns within the data. The system also allows users to download both the RGB image and the generated audio file for further analysis or documentation. This feature makes the system useful not only for interactive exploration but also for educational demonstrations, accessibility tools, and research applications. By integrating visual and auditory outputs within a single framework, the system provides a comprehensive multisensory data interpretation platform.

IV. ARCHITECTURE

The architecture of the proposed RGB-based data sonification system follows a modular pipeline that converts numerical datasets into auditory representations through multiple processing stages. The system consists of interconnected modules including Data Upload, Data Preprocessing, RGB Encoding, Sonification, and Reverse Sonification. Each module performs a specific function, enabling the transformation of numerical data into RGB visual representations and subsequently into sound signals. This modular design ensures efficient processing while improving the flexibility and scalability of the system.

a) Data Upload Module

The Data Upload Module acts as the entry point of the system and allows users to upload structured numerical datasets. The system supports multiple dataset formats such as CSV, Excel, and JSON files. After the dataset is uploaded, the module verifies the file format and ensures that the data structure is compatible with the processing pipeline. This module also performs basic validation checks to ensure that the dataset contains numerical values required for further processing. By validating the input at this stage, the system prevents errors from propagating to later modules.

b) Data Preprocessing Module

Data Preprocessing Module prepares the uploaded dataset for

transformation by performing cleaning and normalization operations. During this stage, missing values, duplicate records, and invalid entries are identified and handled to ensure data consistency. The numerical values are then normalized within a standardized range of 0 to 255, which corresponds to the intensity range used in RGB color channels. After normalization, the dataset is reshaped into a two-dimensional matrix format so that it can be mapped to pixel values during the RGB encoding stage.

Python libraries such as Pandas and NumPy are used to perform these preprocessing operations efficiently.

c) RGB Encoding Module

The RGB Encoding Module converts the normalized numerical dataset into a visual RGB image representation. Each value in the two-dimensional numerical matrix is mapped to a pixel within an image grid. The intensity of the red, green, and blue channels represents the magnitude of the corresponding data value. Image processing libraries such as Pillow (PIL) are used to generate the RGB image. This stage provides a visual representation of the dataset that helps identify patterns and variations before the sonification process begins.

d) Sonification Module

The Sonification Module converts RGB pixel values into sound signals by mapping each color channel to a specific audio parameter. The red channel controls the pitch or frequency, the green channel determines the amplitude or loudness, and the blue channel influences the timbre of the sound. By processing RGB values sequentially, the system generates a continuous audio waveform representing the dataset. Audio libraries such as PyDub and SciPy are used to synthesize the sound and export it in standard formats like WAV.

e) Reverse Sonification Module

The Reverse Sonification Module validates the accuracy of the data-to-sound transformation process. In this stage, generated audio signals and RGB representations are analyzed to reconstruct numerical patterns corresponding to the original dataset. By comparing these reconstructed patterns with the original data, the system verifies that the sonification process preserves the dataset structure and ensures the reliability and robustness of the transformation pipeline.




Figure 4 : Architecture flow diagram

V. RESULT

The proposed RGB-based data sonification system was implemented and evaluated using several numerical datasets to examine its ability to transform numerical values into meaningful visual and auditory representations. The results demonstrate that the system successfully converts structured numerical datasets into RGB images and corresponding audio signals through a sequential processing pipeline. Each module in the architecture performs its designated task effectively, ensuring a smooth transformation from raw data to sound output.

Initially, the uploaded datasets were processed through the preprocessing module where missing values and inconsistencies were handled. The normalization process successfully scaled the numerical values within the range of 0–255, enabling them to be mapped to RGB color intensities. After preprocessing, the datasets were reshaped into two-dimensional matrices, allowing them to be interpreted as pixel grids during the RGB encoding stage.




Fig.5.1 Analysis of performance




Fig.5.2 Feature analysis

The RGB encoding module generated visual representations of the datasets by converting normalized numerical values into RGB pixel intensities. The resulting images clearly reflected the variations in the data distribution, allowing visual identification of patterns and clusters. These RGB images served as the intermediate representation required for the sonification process. During the sonification stage, the RGB pixel values were mapped to sound parameters such as frequency, amplitude, and timbre. The system successfully generated audio signals where variations in pitch and loudness corresponded to changes in the RGB color intensities. The generated audio files were exported in **WAV format**, allowing users to listen to the auditory representation of the dataset. Experimental observations showed that datasets with different distributions produced distinct sound patterns, enabling users to perceive trends and anomalies through sound.

The reverse sonification module was also evaluated to verify the reliability of the transformation pipeline. By analyzing the generated audio signals and corresponding RGB values, the system reconstructed approximate numerical patterns and compared them with the original datasets.

The results indicated that the reconstructed patterns maintained a close relationship with the original data structure, confirming that the sonification process preserved the integrity of the dataset.

Overall, the results demonstrate that the proposed framework effectively converts numerical data into both visual and auditory representations. The system enables users to explore datasets through multiple sensory channels, improving pattern recognition and accessibility. These findings highlight the potential of RGB-based sonification techniques for applications in data visualization, assistive technology, and interactive data analysis.

VI. CONCLUSION & FUTURE SCOPE

This project demonstrates how numerical datasets can be transformed into meaningful auditory experiences through a structured pipeline of preprocessing, RGB image generation, and sound synthesis. By combining visual and auditory modalities, the system enables users to both see and hear patterns, trends, and anomalies, thereby broadening the scope of data interpretation. Importantly, it also provides an inclusive alternative for visually impaired users, while offering creative applications in education, art, and music.

With its modular design and reliance on accessible Python libraries, the system ensures flexibility, scalability, and the potential to adapt to diverse datasets and use cases. For future work, the system can be enhanced by adopting advanced color models (such as HSL or Lab) to provide more nuanced data-to-color mappings, and by integrating real-time processing pipelines for live datasets like financial markets or sensor readings. Interactive user interfaces could also allow users to experiment with custom mappings and fine-tune sonification parameters. Another promising direction is the inclusion of artificial intelligence to analyze generated sounds and provide insights automatically, enabling the system to not only convert data into audio but also interpret patterns and anomalies within the soundscape. These enhancements would expand the

system's applicability, making it more powerful for research, accessibility, and creative exploration.

REFERENCE

- [1] Harrison, C., Trayford, J., Harrison, L., & Bonne, N. (2021). Audio universe tour of the Solarsystem : Using sound to make the universe more accessible. *Astronomy and Geophysics*, <https://doi.org/10.1093/astrogeo/atac027>
- [2] Ananthajothi, K., Balamurugan, K., Divya, D., & Latchoumi, T. P. (2026). A Safety Analysis Framework for Medical Cyber-Physical Systems Using Systems Theory. *Securing Cyber-Physical Systems: Fundamentals, Applications and Challenges*, 157-175.
- [3] Latchoumi, T. P., Parthiban, L., Balamurugan, K., Raja, K., Vijayaraj, J., & Parthiban, R. (2023). A framework for low energy application devices using blockchain-enabled IoT in WSNs. In *Integrating Blockchain and Artificial Intelligence for Industry 4.0 Innovations* (pp. 121-132). Cham: Springer International Publishing
- [4] Balamurugan, K., Deepthi, T., Subramanian, A. K., Banerjee, A., Agarwal, D., Biswas, A., & Sinha, A. (2023). A study on the mechanical properties of rare earth-based aluminium composite. *Journal of The Institution of Engineers (India): Series D*, 104(1), 15-25
- [5] Arunkarthikeyan, K., & Balamurugan, K. (2020). Studies on the effects of deep cryogenic treated WC-Co insert on turning of Al6063 using multi-objective optimization. *SN applied Sciences*, 2(12), 2103.
- [6] Pavan, M. V., Balamurugan, K., & Balamurugan, P. (2021). Wear experiments on PLA-Cu composite filament printed in different FDM conditions. *Turkish Journal of Computer and Mathematics Education*, 12(9), 2245-2251
- [7] Sneha, P., & Balamurugan, K. (2022). Investigation on wear characteristics of a PLA-14% bronze composite filament. In *Recent Trends in Product Design and Intelligent Manufacturing Systems: Select Proceedings of IPDIMS 2021* (pp. 453-461). Singapore: Springer Nature Singapore
- [8] Latchoumi, T. P., Parthiban, L., Balamurugan, K., Raja, K., Vijayaraj, J., & Parthiban, R. (2023). A framework for low energy application devices using blockchain-enabled IoT in WSNs. In *Integrating Blockchain and Artificial Intelligence for Industry 4.0 Innovations* (pp. 121-132). Cham: Springer International Publishing
- [9] Parthiban, L., Latchoumi, T. P., Balamurugan, K., Raja, K., & Parthiban, R. (2023). Cognitive computing for the internet of medical things. In *Integrating Blockchain and Artificial Intelligence for Industry 4.0 Innovations* (pp. 85-100). Cham: Springer International Publishing
- [10] Venkata Murali Mohan, K., Kodati, S., & Krishna, V. (2022, February). Securing SDN enabled IoT scenario infrastructure of fog networks from attacks. *IEEE Conference Proceedings*.
- [11] Krishna, V., Murali Mohan, K. V., Banala, R., & Srinivas, B. S. (2023). An effective hierarchical image coding approach with Hilbert scanning. *International Journal of System Assurance Engineering and Management*.
- [12] Sreenivasa Reddy, K., & Jadhav, P. P. (2023). Integrating AI techniques in 3D virtual worlds through head-mounted display VR systems. *International Journal of Applied Engineering & Technology*, 5(4).
- [13] Krishna, V., Murali Mohan, K. V., Banala, R., & Srinivas, B. S. (2023). An effective hierarchical image coding approach with Hilbert scanning. *International Journal of System Assurance Engineering and Management*.
- [14] Krishna, V., Tamrakar, A. K., Banala, R., Saritha, D., Rao, A. L. N., & Buddhi, D. (2022). Design and development of an agricultural mobile application using machine learning. *Proceedings of the 2nd International Conference on Technological Advancements in Computational Sciences (ICTACS)*.
- [15] Krishna, V., Rajyalakshmi, P., Naresh, P., & Ramesh, V. (2019). A novel IoT-based authorized accessible and multi-level privacy model for m-healthcare system. *Journal of Xi'an University of Architecture & Technology*, 11(11).
- [16] Krishna, V., Raju, Y. D. S., Raghavendran, C. V., Naresh, P., & Rajesh, A. (2022). Identification of nutritional deficiencies in crops using machine learning and image processing techniques. In *2022 3rd International Conference on Intelligent Engineering and Management (ICIEM)*. IEEE.
- [17] Muthu, M. A., & Prakash, B. (2025). Efficient privacy-preserving mHealth framework using crisscross AES and FCFS-NDPPP in hybrid cloud. *Ingénierie des Systèmes d'Information (ISI)*.
- [18] Muthu, M. A. (2025). Integrated healthcare management and analytics. *IRACST International Journal of Computer Networks and Wireless Communications (IJCNCW)*, 15(1).
- [19] Muthu, M. A. (n.d.). The digital doctor: AI & healthcare innovations. *International Journal of Basic and Applied Research (IJBAR)*.
- [20] Muthu, M. A. (n.d.). A hybrid deep CNN model for brain tumor image multi-classification. *International Journal of Engineering Research and Science & Technology (IJERST)*.
- [21] Misdariis, N., Özcan, E., Grassi, M. et al. Sound experts' perspectives on astronomy sonification projects. *Nat Astron*, 1249-1255 (2022). <https://doi.org/10.1038/s41550-022-01821-w>
- [22] Nicolas Misdariis, Sandra Pauletto, Nicolas Bonne, Christopher Harrison, Kate Meredith, et al. The audible universe workshop: an interdisciplinary approach to the design and evaluation of tools for astronomical data sonification. *International Conference on Auditory Display*, Niklas Ronnberg, Jun 2023, Norkköping, Sweden. {hal04476321}
- [23] Bardelli, S., Ferretti, C., Ludovico, L. A., Presti, G., & Rinaldi, M. (2021). A sonification of the zCOSMOS galaxy dataset. In *International Conference on Human-Computer Interaction*, 171-188. https://doi.org/10.1007/978-3-030-77411-0_12

- [24] Bieryla, A., Hyman, S., & Davis, D. (2020). LightSound: A sonification tool for observing solar eclipses. In American Astronomical Society meeting #235, id. 203.04. Bulletin of the American Astronomical Society, Vol. 52, No. 1
- [25] Zanella, A., Harrison, C. M., Author 1 et al. (2022). Sonification and sound design for astronomy research, education and public engagement. Nature Astronomy 6, 1241–1248. doi:10.1038/s41550-022-01721-z.